

Auto Dialer Modem

INTRODUCTION

The XDOT Auto-Dialer is a reliable and efficient solution for automated fire emergency notifications. Upon activation of the fire alarm, it immediately dials pre-set phone numbers, alerting emergency contacts such as the fire department or building management. This device integrates smoothly with the Fire Alarm Control Panel (FACP), ensuring seamless communication. It sends voice messages or digital notifications, allowing for rapid response times. Designed for reliability and ease of use, the XDOT Auto-Dialer enhances the effectiveness of fire safety systems, ensuring prompt action in critical situations.




FEATURES

- ◆ Supports 4G network
- ◆ Two input triggers (Fire / Fault)
- ◆ Reads potential free contact input
- ◆ Easily configured by SMS
- ◆ Add multiple contacts
- ◆ Notify via SMS / Call
- ◆ Support Nano SIM
- ◆ Wide power supply range
- ◆ Built in memory
- ◆ Wall mountable

SPECIFICATIONS


- ◆ Operating Voltage : 24V DC
- ◆ Average Current : < 300mA
- ◆ Operating Temperature : 0°C to +50°C
- ◆ Operating Temperature : 0°C to +55°C
- ◆ Humidity : 10 to 90% RH
- ◆ Material : ABS
- ◆ Weight : < 250g
- ◆ Dimension : L = 85mm, W = 35mm & H = 130mm

SYSTEM WIRING DIAGRAM



HYBRID FIRE ALARM SYSTEM

WIRING INTERFACE



COMPATIBLE DEVICES



FIRE ALARM CONTROL PANEL
(Addressable)



ZONE CONTROL UNIT
(Addressable)

DIMENSIONS



ORDERING INFORMATION

HYB – DEV – AX

Series		Variant
Device Code		1 or 2
MOD		Class

Order Codes	Description
HYB - MOD - A1	Hybrid Auto Dialer Modem (2G/3G)
HYB - MOD - A2	Hybrid Auto Dialer Modem (4G)

IMPORTANT NOTICE

- We reserve the right to make changes, corrections, enhancements, modifications, and improvements to any of our products and/or to its document at any time without notice.
- Resale of products with provisions different from the information set forth herein shall void any warranty granted for such product.
- Purchasers are solely responsible for the choice, selection, and installation of products and we assumes no liability if any damages caused by the use of product.
- Purchasers should obtain the latest relevant information on products before placing orders.
- Information in this document supersedes and replaces information previously supplied in any prior versions of this document.